



**STRONG PARTNERS.
TOUGH TRUCKS.™**



RANGE GUIDE

WWW.HYSTER.EU



> THE SOLUTION TO YOUR APPLICATION NEEDS

The Hyster product range is one of the most extensive and complete offerings on the market today, with over 140 models covering the entire spectrum of load handling requirements.

From warehouse equipment to container handling trucks, suitable for handling all types of palletised or non-palletised loads up to 48 tonnes – we can be certain that there is a Hyster solution available to match your application needs. A wide selection of options and additional fittings allows trucks to be tailored to the particular needs and conditions of your application. As well as having an exceptional choice of standard models, designed to fulfil the vast majority of needs, the Hyster Special Engineering Division caters for those highly specific requirements of customers operating in exceptional conditions.

WAREHOUSE EQUIPMENT

The range includes pallet trucks, stackers, reach trucks, order-pickers and very narrow aisle trucks, offering solutions to a vast range of customer needs; including loading/unloading of goods, short and long distance transfers within the warehouse, storage, stacking and order fulfilment operations and cold store capabilities, plus a range of attachments to suit specialist requirements. All trucks are designed to provide reliability and low cost of operation, along with driver comfort and productivity.



ELECTRIC TRUCKS

Available in a range of capacities from 1.3 to 5.5 tonnes, and offering a variety of wheelbase and battery configurations, Hyster electric forklift trucks offer industry leading dependability, performance, manoeuvrability and extended shift life. The range delivers the optimum solution to match your application requirements, for indoor or outdoor operation, loading/unloading, shuttling and storage of raw materials, finished goods and production materials, while maximising your productivity and reducing your operating costs.

DIESEL / LPG TRUCKS

The Hyster Fortens Range of Diesel and LPG forklift trucks provides the maximum flexibility to meet your application requirements. Offering a range of capacities from 1.6 to 9.0 tonnes and a variety of engine and transmission configurations, these trucks deliver superior productivity, moving more loads per hour, and reduced ownership costs, thanks to state-of-the-art technology and engineering. Industry-leading truck design and ergonomics minimise operator fatigue, and truck dependability has been enhanced, with downtime reduced by over 30% thanks to reliable components, limited maintenance requirements and easy service access.

BIG TRUCKS

The Hyster range of high capacity forklift trucks and dedicated container handlers represent market leading solutions for the handling of materials across a wide range of heavy industries, offering a range of products with handling capacities from 8 to 48 tonnes. The outstanding capability of these machines is thanks to Hyster unique experience in this market of over 60 years, providing application focused solutions to customers worldwide.





WAREHOUSE: PALLET TRUCKS; STACKERS; REACH TRUCKS; ORDER PICKERS; VNA



PLPM, ELPM

2 500 KG @ 600 MM

Manual pallet truck

- Effort free controls
- Quick lift system
- Available in stainless steel AIS1304



PSC1.2

1 200 KG @ 600 MM

Super compact pallet truck

- Compact chassis design to improve accessibility
- Low effort controls ergonomically placed to reduce operator fatigue
- On board charger for on-site recharge



PC1.4

1 400 KG @ 600 MM

Compact pallet truck

- Hour meter and battery discharge indicator
- Reinforced compact chassis design to improve accessibility
- Ergonomically tiller head designed for maximum operator comfort



P1.6, P1.8, P2.0, P2.2

1 600-2 200 KG @ 600 MM

Pedestrian low lift pallet truck

- Mid-mounted, shortened tiller head, vertically mounted drive motor assembly and intelligently designed ergonomics
- The battery compartment features a reinforced bumper section, which protects the truck against collision
- On board diagnostic display provides early warning of maintenance requirements



P2.5, P3.0

2 500-3 000 KG @ 600 MM

Pedestrian low lift pallet truck

- Automatic reverse current braking
- Combi Mosfet traction control
- Antirrollback



P2.0HL

2 000 KG @ 600 MM

Pedestrian ergonomic lift pallet truck

- Powerful AC technology
- Enhanced traction and stability
- Ergonomically designed tiller head



P2.0S, P2.0SE

2 000 KG @ 600 MM

Low lift pallet truck with operator platform

- Max travel speed up to 8,5Km/h (P2.0SE) or 12km/h (P2.0S)
- Powerful performance with AC technology
- Excellent control and manoeuvrability



P2.0SD

2 X 1 000 KG @ 600 MM

Pedestrian double stackers with operator platform

- Dual speed operation up to 8.5 km/h
- AC-DC Combi Mosfet control
- AC drive motor



RP2.0N - RP2.5N

2 000-2 500 KG @ 600 MM

Rider pallet truck

- Full AC infrastructure on drive and steering motors
- Two different steering modes: Standard steering and Reverse steering as option.
- New operator compartment layout is optimised for ergonomics and operator space.



SC1.0

1 000 KG @ 600 MM

Compact Stacker

- Compact chassis design to improve accessibility.
- Ergonomic tiller head designed for maximum operator comfort.
- Quick accessibility for exchange of batteries.



S1.0E

1 000 KG @ 600 MM

Pedestrian high lift stacker

- Compact powerhead length
- Mosfet traction control
- Push button lift/lower



S1.0, S1.2, S1.4, S1.6, S2.0, S1.2L, S1.4L, S1.6L

1 000-2 000 KG @ 600 MM

Pedestrian high lift stacker

- Class leading lowest energy consumption
- Dual process controllers for increased reliability
- AC drive and steering motors




S1.5S, S1.5S II, S1.5S SL

1 500 KG @ 600 MM

Pedestrian high lift stacker with operator platform

- Dual lift/lower controls
- AC-DC Combi Mosfet control
- AC drive motor



S1.0C, S1.2C, S1.5C

1 000-1 500 KG @ 500 MM

Counterbalanced stacker

- Automatic release braking
- AC drive motor
- Ride-on and overhead guard option



RS1.2, RS1.5

1 250-1 500 KG @ 600 MM

Rider pallet stacker

- Automatic release braking
- Regenerative braking
- Mosfet traction control



R1.4, R1.6, R1.6N, R1.6HD, R2.0, R2.0HD, R2.5

1 400-2 500 KG @ 600 MM

Reach truck

- AC drive, steering and hydraulic motors
- Standard mast to 10500 and Heavy Duty mast to 12750mm
- VCM (Vehicle Control Manager)
- Dual CANbus wiring



LO5.0T, LO7.0T
5 000-7 000 KG
Tow tractor

- Solid construction and reliable components, including AC motors
- Max travel speed 12.5 km/h
- Scooter control for easy operation
- Ideal for line feed operations



LO1.0F, 2.0, 2.0S, LO2.5
1 000 @ 600 MM
2 000-2 500KG @ 1200 MM
Low level order picker

- Solid construction and reliable components, including AC motors
- Max travel speed 13 km/h
- Scooter control for easy operation
- Scissor Lift, Mast Lift and Lifting Cab versions and 48 different forks options available



K1.0L, K1.0H, K1.0M
1 000 KG @ 600 MM
Medium/high level order-picker

- Rising platform
- AC drive and pump motor
- Regenerative descent
- Automatic electrical braking



C1.0, C1.3, C1.5
1 000-1 500 KG @ 600 MM
Man-up turret truck

- Simultaneous multiple function control
- CANbus electronic communication system
- AC drive and hydraulic motors

ELECTRICS: 3 AND 4 WHEEL ELECTRIC FORKLIFT TRUCKS



A1.3XNT, A1.5XNT
1 300-1 500 KG @ 500 MM
Streamlined design with 3 wheel configuration

- Streamlined design with 3 wheel configuration
- Rear-wheel drive
- E-hydraulic control options
- Tight aisle widths
- 1m wide to allow block stacking
- High visibility mast



J1.5XNT, J1.6XNT, J1.8XNT, J2.0XNT
1 500-2 000 KG @ 500 MM
Streamlined design with 3 wheel configuration

- Streamlined design with 3 wheel configuration
- Front wheel drive
- E-hydraulic control options
- Tight aisle widths
- Best in class energy consumption
- High visibility mast



J1.6KN, J1.8KN, J2.0KN
1 600-2 000 KG @ 500 MM
Streamlined design with 4 wheel configuration

- Streamlined design with 4 wheel configuration
- E-hydraulic control options
- Zero turning radius steer axle
- IC performance in an electric truck



E1.6KN, E1.8KN, E2.0KN
1 600-2 000 KG @ 500 MM
48V with AC motors throughout

- 48V with AC motors throughout
- 1.6t working aisle width = 3216mm
- 1m wide to allow block stacking
- 18km/h top speed & 0.53 m/s max lift speed



J2.2KN, J2.5KN, J3.0KN, J3.5KN
2 200-3 500 KG @ 500 MM
AC drive and hoist motors with customizable performance settings

- AC drive and hoist motors with customizable performance settings
- Extended battery shift life and optional side battery removal
- Best in class performance and energy consumption
- On-board diagnostics and easy unrestricted service access
- Ergonomically designed operator compartment



E2.2KN, E2.5KN, E3.0KN, E3.2KN, E3.5KN
2 200-3 500 KG @ 500 MM
Compact design and cushion tyres ideal for indoor applications

- Compact design and cushion tyres ideal for indoor applications
- AC drive and hoist motors with customizable performance settings
- Extended battery shift life and optional side battery removal
- Easy unrestricted service access with on-board diagnostics
- Ergonomically designed operator compartment



J4.0KN, J4.5KN, J5.0KN, J5.0XN6, J5.5XN6
4 000-4 999 KG @ 500 MM
5 000-5 500 KG @ 600 MM
AC drive and hoist motors with customizable performance settings

- AC drive and hoist motors with customizable performance settings
- Extended battery shift life and optional side battery removal
- IC performance in an electric truck
- On-board diagnostics and easy unrestricted service access
- Ergonomically designed operator compartment
- Zero turning radius steer axle



E4.0KN, E5.0XNS, E5.0KN, E5.50XN
4 000-5 000 KG @ 500 MM,
5 500 KG @ 600 MM
Compact design and cushion tyres ideal for indoor applications

- Compact design and cushion tyres ideal for indoor applications
- On-board diagnostics and easy unrestricted service access
- 20km/h top speed & 0.60 m/s max lift speed
- 675 Ah 80V battery as standard
- Ergonomically designed operator compartment



DIESEL AND LPG FORKLIFT TRUCKS



H2.0XT, H2.5XT, H3.0XT
2 000-3 000 KG @ 500 MM

Diesel and LPG forklift trucks

- Built for a wide variety of indoor and outdoor applications
- Heavy-duty industrial engines - 2.6L or 3.3L Diesel and 2.4L LPG
- Excellent all-around visibility, as well as excellent through-mast load visibility
- A simple machine to service with 500-hour service intervals



H1.6FT, H1.8FT, H2.0FTS
1 600-2 000 KG @ 500 MM

Diesel and LPG forklift trucks

- Electronically controlled transmissions and hydraulic systems
- Pacesetter VSM optimises performance and protects key truck systems
- Ergonomically designed operator compartment
- Easy and fast serviceability



S2.0FT, S2.5FT, S3.0FT, S3.5FT
2 000-3 500 KG @ 500 MM

Compact, LPG forklift trucks

- Electronically controlled transmissions and hydraulic systems
- Pacesetter VSM optimises performance and protects key truck systems
- Ergonomically designed operator compartment
- Easy and fast serviceability



H2.0FT, H2.5FT, H3.0FT, H3.5FT
2 000-3 500 KG @ 500 MM

Diesel and LPG forklift trucks

- Electronically controlled transmissions and hydraulic systems
- Pacesetter VSM optimises performance and protects key truck systems
- Ergonomically designed operator compartment
- Easy and fast serviceability



S4.0FT, S4.5FT, S5.5FT, S5.5FTS
4 000KG @ 500MM, 4 500-5 500KG @ 600MM

Compact, LPG forklift trucks

- Electronically controlled transmissions and hydraulic systems
- Pacesetter VSM optimises performance and protects key truck systems
- Ergonomically designed operator compartment
- Easy and fast serviceability



H4.0FT5, H4.0FT6, H4.5FT5S, H4.5FT6, H5.0FT, H5.5FT
4 000-4 500 KG @ 500 MM, 4 000-5 500 KG @ 600 MM

Diesel and LPG forklift trucks

- Designed for use in demanding applications
- Electronically controlled 1 & 2-speed transmissions and hydraulic systems
- Ergonomically designed operator compartment
- Easy and fast serviceability



S6.0FT, S7.0FT
6 000-7 000KG @ 600MM

Compact, Diesel and LPG forklift trucks

- Electronically controlled transmissions and hydraulic systems
- Pacesetter VSM optimises performance and protects key truck systems
- Ergonomically designed operator compartment
- Easy and fast serviceability



H6.0FT, H7.0FT, H8.0FT, H9.0FT
6 000-9 000 KG @ 600MM, 8 000 KG @ 900MM

Diesel and LPG forklift trucks

- Designed for use in high demanding applications with high attachment use
- Electronically controlled 2 & 3-speed transmission and hydraulic systems
- Ergonomically designed operator compartment
- Easy and fast serviceability



H8XM-6, H9-XM-6, H10XM-6, H12XM-6, H13XM-6, H14XM-6, H16XM-6
8 000-16 000 KG @ 600 MM, 10 000 KG @ 1200MM

- Excellent all-round visibility thanks to modern cab design and sloping counterweight
- Powerful, modern, clean-running industrial engine
- Engine and transmission protection systems as well as oil-immersed brakes are standard
- Vista Cab offers excellent driver comfort, and tilts sideways for easy service access



BIG TRUCKS: FORKLIFTS AND CONTAINER HANDLERS



H16XM-7.5, H16XM-9, H18XM-9, H18XM-12
16 000 KG @ 750MM, 16 000 KG @ 900 MM
18 000 KG @ 900MM, 18 000 KG @ 1200MM

- Heavy Duty design due high strength frame, masts and carriages.
- Innovative power settings: High Performance (HiP) or eco-mode (eco-eLo) without loss of productivity.
- The on demand hydraulics system delivers only flow or pressure when required.
- The Vista cab provides a high comfort working environment
- Class leading lifting speeds even at maximum load



H18XM-9, H18XMS-9, H20XM-9, H20XMS-9
18 000-20 000 KG @ 900 MM

- Powerful, modern, clean-running Diesel engine with autoshift transmission
- Engine and transmission protection systems as well as oil-immersed brakes are standard
- Vista Cab offers excellent driver comfort, and visibility and tilts sideways for easy service access
- Short wheelbase models are ideal for applications where operating space is restricted



H25XMS-9, H25XM-12, H28XM-12, H30XM-9, H30XM-12, H32XM-9, H32XM-12
25 000-32 000 KG @ 900 MM OR 1 200 MM

- Powerful, modern, clean-running Diesel engine with autoshift transmission
- Engine and transmission protection systems as well as oil-immersed brakes are standard
- Vista Cab offers excellent driver comfort, and visibility and tilts sideways for easy service access
- Short wheelbase models are ideal for applications where operating space is restricted



H36XMS-12, H40XMS-12, H40XM-12, H44XMS-12, H44XM-12, H48XMS-12, H48XM-12
36 000-48 000 KG @ 1 200 MM

- High commonality with H40.00-50.00XM-16CH container handlers and the ReachStacker range
- Cummins QSM11 Turbo-charged diesel engine
- 4-speed autoshift transmission includes forward/reverse lockout
- Sturdy mast construction



H6XM-12EC3-H7XM-12EC4
6 000-7 000 KG @ 1 220 MM

- Empty container handler for handling single containers up to 3 or 4 high
- Based on H13-16XM-6 forklift
- Strong frame and mast design for excellent stability and durability
- Engine and transmission protection systems as well as oil-immersed brakes are standard
- Vista Cab offers excellent driver comfort, and tilts sideways for easy service access



H18XM-12EC, H20XM-12EC, H23XM-12EC
8 500-9 000 KG @ 1 220 MM

- Empty container handler for handling single and double containers, up to 8-high
- Rear-mounted Vista Cab for excellent comfort and visibility
- Strong frame and unique '4 to 1' mast design for stability and durability
- High-performance powertrain, for optimum productivity
- Class leading lifting speed



H28XM-16CH, H32XM-16CH, H40XM-16CH, H44XM-16CH, H48XM-16CH, H50XM-16CH, H52XM-16CH
24 000 - 52 000 KG @ 1610MM

- First Row Container Stacker, for stacking ISO 20' to 40' containers 3, 4 & 5 high
- Rear mounted Vista cab offers outstanding all-round visibility
- Dedicated spreader and mounting design for maximum load carrying capability
- Drivetrain features 4-speed powershift transmission, wet-disc brakes & engine protection system



REACHSTACKER - CONTAINER HANDLER
RS 45-27 CH, RS 45-31 CH, RS 46-36 CH, RS 46-41L CH, RS 46-41S CH, RS 46-41LS CH

- Class leading lifting speeds for maximum productivity
- Hyster Container Spreader for handling 20'-40' ISO Containers
- 5-high 8'6" stacking in second row
- Sliding Vista Cab for excellent comfort and all-round visibility
- High-performance power train, with built in engine protection system

REACHSTACKER - INTERMODAL HANDLER
RS 45-24 IH, RS 45-28 IH, RS 46-33 IH, RS 46-38L IH, RS 46-38S IH, RS 46-38LS IH

- Class leading lifting speeds for maximum productivity
- Hyster Intermodal Spreader, for handling 20'-40' ISO Containers, and 'Swap-bodies' or Trailers
- With Powered Pile Slope function
- Full-sliding Vista Cab for excellent all-round visibility in varying operating conditions

STRONG PARTNERS. TOUGH TRUCKS.™

FOR DEMANDING OPERATIONS, EVERYWHERE.

Hyster supplies a complete range of warehouse equipment, IC and electric counterbalanced trucks, container handlers and reach stackers. Hyster is committed to being much more than a lift truck supplier.

Our aim is to offer a complete partnership capable of responding to the full spectrum of material handling issues: Whether you need professional consultancy on your fleet management, fully qualified service support, or reliable parts supply, you can depend on Hyster.

Our network of highly trained dealers provides expert, responsive local support. They can offer cost-effective finance packages and introduce effectively managed maintenance programmes to ensure that you get the best possible value. Our business is dealing with your material handling needs so you can focus on the success of your business today and in the future.



HYSTER EUROPE

Centennial House, Frimley Business Park, Frimley, Surrey, GU16 7SG, England.


Tel: +44 (0) 1276 538500




 www.hyster.eu  infoeurope@hyster.com  [/HysterEurope](https://www.facebook.com/HysterEurope)  [@HysterEurope](https://twitter.com/HysterEurope)  [/HysterEurope](https://www.youtube.com/HysterEurope)  www.hyster-bigtrucks.com

HYSTER-YALE UK LIMITED trading as Hyster Europe. Registered Address: Centennial House, Building 4.5, Frimley Business Park, Frimley, Surrey GU16 7SG, United Kingdom.

Registered in England and Wales. Company Registration Number: 02636775.

HYSTER,  and FORTENS are registered trademarks in the European Union and certain other jurisdictions.

MONOTROL® is a registered trademark, and DURAMATCH and  are trademarks in the United States and in certain other jurisdictions.

Hyster products are subject to change without notice. Lift trucks illustrated may feature optional equipment.